

試驗報告



報告編號：HR-23-00601

頁數：1 OF 2

報告日期：112年04月18日

宇奇實業有限公司

產品名稱：316不銹鋼鋼索-線徑1.6mm

供應廠商：縈成細鋼索工業股份有限公司

送驗廠商：宇奇實業有限公司

收件日期：112年04月10日

試驗日期：112年04月10日~112年04月18日

備註：1. 以上資料(送驗廠商、收件日期及試驗日期除外)及

下述報告內容標示#處係由顧客提供

2. 除非另有說明，此報告結果僅對測試之樣品負責

未經本公司事先書面同意，此報告不可部分複製

我們依照委託者要求，根據委託者送交之樣品（或圖面）進行測試，結果如下：

委託測試要求：抗拉試驗測試使用設備：SHIMADZU UH-F500KN X Universal Testing Machine測試結果：

樣品外觀：



-- 接下頁 --

規範要求值僅供參考，合格之判定以委託單位實際要求為準。

報告簽署人

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告



報告編號：HR-23-00601

頁數：2 OF 2

報告日期：112 年 04 月 18 日

抗拉試驗：

樣品名稱	★抗拉荷重	破壞位置
-	kgf	-
316 不銹鋼鋼索-線徑 1.6mm	215	斷鋼索

★跨距：800mm。

*本試驗報告之試驗地點同實驗室地址。

-- 以下空白 --

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告



報告編號：HR-21-01387

頁數：1 OF 2

報告日期：110年07月22日

宇奇實業有限公司

新北市樹林區保安街2段337巷14之1號

產品名稱：鋁基座

產品型號：6063T5 工業用鋁擠型

產品規範：CNS 2257 6063-T5

送驗廠商：宇奇實業有限公司

收件日期：110年07月14日

試驗日期：110年07月14日~110年07月22日

備註：1. 以上資料由顧客提供(收件及試驗日期除外)

2. 除非另有說明，此報告結果僅對測試之樣品負責
未經本公司事先書面同意，此報告不可部分複製

3. 下述報告內容標示#處由顧客提供

我們依照委託者要求，根據委託者送交之樣品（或圖面）進行測試，結果如下：

委託測試要求：維克氏硬度試驗測試參考規範：CNS 2115 維克氏硬度試驗法測試使用設備：FUTURE-TECH FM-800 MICROHARDNESS TESTER測試結果：

樣品外觀：



-- 接下頁 --

規範要求值僅供參考，合格之判定以委託單位實際要求為準。

報告簽署人

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告



報告編號：HR-21-01387

頁數：2 OF 2

報告日期：110 年 07 月 22 日

維克氏硬度試驗：

使用荷重：5 kgf

持壓時間：30 秒

單位：HV

樣品名稱	第一點	第二點	第三點	第四點	第五點	平均
鋁基座	83	85	85	83	84	84
#要求值 (CNS 2257 6063-T5)	-	-	-	-	-	58 以上

-- 以下空白 --

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告



報告編號：TK-21-03897

頁數：1 OF 1

報告日期：110年08月11日

宇奇實業有限公司


產品名稱：隱形鐵窗
 品型號：6063T5
 品顏色：粉香檳
 廠商：宇奇實業有限公司
 應驗廠商：宇奇實業有限公司
 送驗日期：110年07月29日
 收試日期：110年07月29日~110年08月10日
 備註：1.以上資料由顧客提供(收件及試驗日期除外)
 2.除非另有說明，此報告結果僅對測試之樣品負責
 未經本公司事先書面同意，此報告不可部分複製
 3.下述報告內容標示#處由顧客提供

本實驗室依據顧客所提供之試驗需求與樣品進行試驗，結果說明如下：


試驗需求：抗拉試驗

試驗方法：依顧客指定方式如相片所示，均勻施加荷重抗拉至破壞為止(試驗速率：10mm/min)

試驗結果：



試驗照片



試驗後照片

抗拉試驗

#試件名稱	最大抗拉荷重
----	kgf
隱形鐵窗	957

備註：本試驗報告之試驗地點同實驗室地址。

----- oOo -----

本報告若有提供規範值，該規範值僅供參考，合格之判定以委託單位實際要求為準

報告簽署人

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 2475310